Title: Multi-Source Programming Guide Apparatus and Method Applicant(s): Nishikawa et al.; Filing Date: March 23, 2004

Document: Response to Office Action dated October 23, 2009

Attorney Docket No. 81235 7114

## REMARKS/ARGUMENTS

The Applicants hereby thank the Examiner for the observations in the outstanding Office Action, for withdrawing Shaya (US 2002/0161664) as a cited reference, and for the December 3, 2009, telephonic acknowledgement of the intent to withdraw the outstanding objection to the Specification. Claims 1, 4, 5, 8, and 13 are herein amended to better encompass the full scope and breadth of the present invention, notwithstanding the Applicants belief that the Claims would have been allowable as originally filed.

The foregoing amendments are believed to be fully supported by the priority document, U.S. Provisional Patent Application Serial No. 60/520,752, entitled "Ring Interface for TV Programming Guide," filed on November 17, 2003, as well as the following documents having been incorporated by reference in the present application: U.S. Patent Application Serial No. 10/806,713, entitled "3-Dimensional Browsing and Selection Apparatus and Method," filed on March 23, 2004; U.S. Patent Application Serial No. 10/806,876, entitled "Candidate Data Selection and Display Apparatus and Method," filed on March 23, 2004; U.S. Patent Application Serial No. 10/806,832, entitled "Filter Criteria and Results Display Apparatus and Method," filed on March 23, 2004; U.S. Patent Application Serial No. 10/806,712, entitled "Automatic Content Display Apparatus and Method," filed on March 23, 2004; U.S. Patent Application Serial No. 10/806,646, entitled "Display Filter Criteria and Results Display Apparatus and Method," filed on March 23, 2004; and U.S. Patent Application Serial No. 10/806,830, entitled "Interactive Program Guide with Preferred Items List Apparatus and Method," filed on March 23, 2004.

The Applicants respectfully assert that no claim has been narrowed within the meaning of Festo Corp. v. Shoketsu Kinzoku Kogyo Kabushiki Co. (Fed.Cir. November 29, 2000). Therefore, reconsideration of the present application in light of the foregoing amendment and these remarks is respectfully requested. However, should any remaining issues be outstanding, the Examiner is respectfully requested to telephone Mr. Thomas F. Lebens at (805) 781-2865 so that such issues may be expeditiously resolved.

Document: Response to Office Action dated October 23, 2009

Attorney Docket No. 81235 7114

Rejection of Claims 1-20 under 35 U.S.C. § 103(a)

Claims 1-20 stand rejected, under 35 U.S.C. § 103(a), as being unpatentable over Sie et

al. (US 2003/0233656), in view of Fries et al. (US 2004/0078807), and in further view of

McCoskey et al. (US 2003/0028889). The Applicants respectfully traverse these grounds for

rejection on this basis. Independent Claims 1, 8, and 13 are herein generally further amended to

include a recitation of "a plurality of different data formats."

With respect to the primary cited reference, Sie merely discloses: "... a method for

generating a personalized menu promoting other video programs available from a video content

delivery system is disclosed. The video content delivery system provides a plurality of channels

of video content simultaneously. In one step, it is determined that a triggering event has occurred

with a video content delivery conduit. First information about one or more users is gathered.

The one or more users are associated with an account with the video content delivery system.

Alternative video programs are determined and personalized for the one or more users based, at

least in part, upon the first information. The context for the triggering event is analyzed to

produce second information. A configuration of the personalized menu is determined based, at

least in part, upon the second information. The personalized menu is formulated for presentment

to the one or more users. The personalized menu comprises links to the alternative video

programs[.]" (Abstract)

With respect to the secondary cited reference, Fries merely discloses: "... electronic

program guides and multimedia presentation devices. One implementation, described herein,

provides a unified access to multiple electronic program guides (EPGs) from multiple

programming and guide data sources (e.g., local broadcast, satellite broadcast, DVR, VoD, etc.).

With this implementation, multiple EPGs from a variety of sources are presented in a single

common user interface (UI). Therefore, the television viewer may search/browse the EPG of all

sources concurrently. The scope of the exemplary e-commerce facilitation is pointed out in the

appending claims." (Abstract)

11

Title: Multi-Source Programming Guide Apparatus and Method Applicant(s): Nishikawa et al.; Filing Date: March 23, 2004 Document: Response to Office Action dated October 23, 2009

Attorney Docket No. 81235 7114

With respect to the tertiary cited reference, McCoskey et al. actually discloses: "A system for searching, packaging and delivering content using an aggregator is described. The aggregator processes requests, searches, provides search results and acquires content. aggregator, operating in a communications network, includes a request and results processing server, a search engine server coupled to the request and results processing server and a content acquisition server coupled to the request and results processing server. A request and results processing server receives a request for content, the search engine server searches for the content and the content acquisition program acquires content for delivery to the user. The request and results processing server includes a search request processor that receives information related to a user's search request and provides the information to a search results form builder that creates an electronic search request. The search request may be augmented by using a content suggestion engine to add additional search terms and descriptions to the search request. The aggregator may also include a decoder that decodes program content and program metadata from remote sources for storage at the aggregator, and an encoder that encodes content metadata and programs for delivery to the user. The aggregator may also comprise one or more crawlers, such as a content crawler, to look for program content in one or more digital communications networks." (Abstract).

Noteworthy is that the newly cited reference, McCoskey, does not teach, suggest, or motivate, either expressly or implicitly, its aggregator is being even capable of performing a simultaneous consideration of audio/video content across a plurality of media in a plurality of data formats. McCoskey merely discloses that the "aggregator may also comprise one or more crawlers, such as a content crawler, to look for program content in one or more digital communication networks" (Abstract). McCoskey never discloses that these crawlers even act simultaneously (Paras. 92 and 97). McCoskey never discloses that the aggregator comprises a "smart filter" anywhere in the reference. Additionally, although McCoskey teaches a "content suggestion engine," nowhere does the reference ever teach, or even imply, that such "content suggestion engine" is in any way "enhanced" (Figs, 14a and 14b; Paras. 97 and 98). McCoskey also merely teaches the selection of programming in terms of "content format," not "data" format. Although McCoskey teaches reformatting a searched piece of content (searched on other bases), McCoskey does not teach, suggest, or motivate, any filter selection criteria based on a

Title: Multi-Source Programming Guide Apparatus and Method Applicant(s): Nishikawa et al.; Filing Date: March 23, 2004

Document: Response to Office Action dated October 23, 2009

Attorney Docket No. 81235 7114

plurality of different sources and a plurality of different data formats. Furthermore, the search criteria of McCoskey do not comprise two or more of a programming network identifier, an indication of source, a network call sign for a station, a broadcast starting time, a broadcast stopping time, a description of the content, information pertaining to the content, an indication of a bearer medium, a sample of the content, a promotional sample of the content, a previously prepared trailer, and a preview of the content.

In contrast to the cited art, the present invention involves the following salient features, inter alia: (a) "wherein the plurality of characterizing descriptors comprises at least two elements selected from a group consisting essentially of a programming network identifier, an indication of source, a network call sign for a station, a broadcast starting time, a broadcast stopping time, a description of the content, information pertaining to the content, an indication of a bearer medium, a sample of the content, a promotional sample of the content, a previously prepared trailer, and a preview of the content," (b) "wherein a first plurality of the discrete selectable items of audio/video content differ from a second plurality of the discrete selectable items of audio/video content with respect to at least one parameter selected from a group consisting essentially of a bearer medium, a primary transmission service provider, and a data format[,]" and (c) "providing at least one smart filter for facilitating determination of a particular one of the discrete selectable items of data, the at least one smart filter providing step comprising providing an enhanced suggestion engine for making at least one recommendation based on at least one parameter selected from a group consisting essentially of a content nature uniqueness, a viewer identification, and a keyword, the at least one smart filter providing step comprising providing each at least one smart filter being customizable for each at least one user, wherein the at least one smart filter simultaneously considers content across a plurality of media, thereby providing a coordinated joint display comprising a plurality of integrated results, the plurality of integrated results comprising an aggregate pool of candidate viewing choices being reducible on a basis of filter selection criteria from at least one element selected from a group consisting essentially of a plurality of different sources and a plurality of different data formats[.]"

Title: Multi-Source Programming Guide Apparatus and Method Applicant(s): Nishikawa et al.; Filing Date: March 23, 2004 Document: Response to Office Action dated October 23, 2009

Attorney Docket No. 81235 7114

Accordingly, the Applicants respectfully submit that the cited art does not teach, suggest, motivate, or otherwise obviate, in any other manner, the combination of elements and limitations, *inter alia*, as recited by herein amended independent Claims 1, 8, and 13, respectively reciting:

1. A method of selecting content by way of a multi-source interactive programming guide apparatus, comprising the steps of:

providing access to a plurality of characterizing descriptors as individually correspond to a plurality of discrete selectable items of audio/video content,

wherein the plurality of characterizing descriptors comprises at least two elements elected from a group consisting essentially of a programming network identifier, an indication of source, a network call sign for a station, a broadcast starting time, a broadcast stopping time, a description of the content, information pertaining to the content, an indication of a bearer medium, a sample of the content, a promotional sample of the content, a previously prepared trailer, and a preview of the content, and

wherein a first plurality of the discrete selectable items of audio/video content differ from a second plurality of the discrete selectable items of audio/video content with respect to at least one parameter selected from a group consisting essentially of a bearer medium, a primary transmission service provider, and a data format;

providing at least one smart filter for facilitating determination of a particular one of the discrete selectable items of data, the at least one smart filter providing step comprising providing an enhanced suggestion engine for making at least one recommendation based on at least one parameter selected from a group consisting essentially of a content nature uniqueness, a viewer identification, and a keyword, the at least one smart filter providing step comprising providing each at least one smart filter being customizable for each at least one user, wherein the at least one smart filter simultaneously considers content across a plurality of media, thereby providing a coordinated joint display comprising a plurality of integrated results, the plurality of integrated results comprising an aggregate pool of candidate viewing choices being reducible on a basis of filter selection criteria from at least one element selected from a group consisting essentially of a plurality of different sources and a plurality of different data formats;

providing at least one selection criterion;

applying the at least one selection criterion with respect to the characterizing descriptors of the first plurality of the discrete selectable items of audio/video content and the second plurality of the discrete selectable items of audio/video content to provide a resultant selection of the first plurality of discrete selectable items of audio/video content and the second plurality of the discrete selectable items of audio/video content;

displaying programming guide information comprising information regarding at least a portion of the resultant selection;

supporting a programming guide navigation;

reviewing and browsing the information regarding the at least one portion of the resultant selection;

if selecting a particular item of the plurality of discrete selectable items, providing a selection response; and

if not selecting a particular item of the plurality of discrete selectable items, returning to the supporting step. [emphasis added]

Title: Multi-Source Programming Guide Apparatus and Method Applicant(s): Nishikawa et al.; Filing Date: March 23, 2004 Document: Response to Office Action dated October 23, 2009

Attorney Docket No. 81235 7114

8. An interactive multi-source programming guide apparatus, comprising:

a data processing unit comprising at least one element selected from a group consisting essentially of a fixed-purpose dedicated platform, a partially-programmable platform, a cable, and a satellite set-top box;

a plurality of characterizing descriptors, each of which individually correspond to a plurality of discrete selectable items of audio/video content,

wherein the plurality of characterizing descriptors comprises at least two elements elected from a group consisting essentially of a programming network identifier, an indication of source, a network call sign for a station, a broadcast starting time, a broadcast stopping time, a description of the content, information pertaining to the content, an indication of a bearer medium, a sample of the content, a promotional sample of the content, a previously prepared trailer, and a preview of the content, and

wherein a first plurality of the discrete selectable items of audio/video content differ from a second plurality of the discrete selectable items of audio/video content with respect to at least one parameter selected from a group consisting essentially of a bearer medium, a primary transmission service provider, a data format, and at least one selection criterion;

at least one smart filter for facilitating determination of a particular one of the discrete selectable items of data, the at least one smart filter comprising an enhanced suggestion engine for making at least one recommendation based on at least one parameter selected from a group consisting essentially of a content nature uniqueness, a viewer identification, and a keyword, each at least one smart filter being customizable for each at least one user, wherein the at least one smart filter simultaneously considers content across a plurality of media, whereby a coordinated joint display, comprising a plurality of integrated results, is provided, the plurality of integrated results comprising an aggregate pool of candidate viewing choices being reducible on a basis of filter selection criteria from at least one element selected from a group consisting essentially of a plurality of different sources and a plurality of different data formats; and

a control circuitry adapted to:

apply the at least one selection criterion with respect to the characterizing descriptors of the first plurality of the discrete selectable items of audio/video content and the second plurality of discrete selectable items of audio/video content to provide a resultant selection of the first plurality of discrete selectable items of audio/video content and the second plurality of discrete selectable items of audio/video content;

display programming guide information comprising information regarding at least a portion of the resultant selection; and

a support programming guide navigation,

wherein the data processing unit utilizes the plurality of characterizing descriptors, the plurality of cascading filters, the control circuitry, and the support programming guide navigation. [emphasis added]

13. A method of providing an interactive multi-source programming guide apparatus, comprising the steps of:

providing access to a plurality of characterizing descriptors as individually correspond to a plurality of discrete selectable audio/visual programs,

wherein the plurality of characterizing descriptors comprises at least two elements elected from a group consisting essentially of a programming network identifier, an indication of source, a network call sign for a station, a broadcast starting time, a broadcast stopping time, a description of the content, information pertaining to the content, an indication of a bearer medium, a sample of the content, a promotional sample of the content, a previously prepared trailer, and a preview of the content, and

wherein a first plurality of the discrete selectable audio/visual programs differ from a second plurality of the discrete selectable audio/visual programs with respect to at least one parameter selected from a group consisting essentially of a bearer medium, a primary transmission service provider, and a data format;

providing at least one smart filter for facilitating determination of a particular one

of the discrete selectable items of data, the at least one smart filter providing step comprising providing an enhanced suggestion engine for making at least one recommendation based on at least one parameter selected from a group consisting essentially of a content nature uniqueness, a viewer identification, and a keyword, the at least one smart filter providing step comprising providing each at least one smart filter being customizable for each at least one user, wherein the at least one smart filter simultaneously considers content across a plurality of media, thereby providing a coordinated joint display comprising a plurality of integrated results, the plurality of integrated results comprising an aggregate pool of candidate viewing choices being reducible on a basis of filter selection criteria from at least one element selected from a group consisting essentially of a plurality of different sources and a plurality of different data formats;

providing at least one selection criterion that corresponds to a given individual;

applying the at least one selection criterion with respect to the characterizing descriptors of the first plurality of the discrete selectable audio/visual programs and the second plurality of the discrete selectable audio/visual programs to provide a resultant selection of the first plurality of the discrete selectable audio/visual programs and the second plurality of the discrete selectable audio/visual programs;

displaying programming guide information comprising information regarding at least a portion of the resultant selection; and

providing a support programming guide navigation. [emphasis added]

Consequently, Claims 2-7, 9-12, and 14-20 now respectively subsume the limitations of herein amended Claims 1, 8, and 13 by dependency thereto.

Thus, the Applicants respectfully submit that Claims 1-20 have not been taught, suggested, motivated, or otherwise obviated, in any other manner, by the cited art. Therefore, the Applicants respectfully request that the grounds for rejection of Claims 1-20 on this basis are withdrawn and that Claims 1-20 are passed to allowance in due course.

Title: Multi-Source Programming Guide Apparatus and Method Applicant(s): Nishikawa et al.; Filing Date: March 23, 2004

Document: Response to Office Action dated October 23, 2009

Attorney Docket No. 81235 7114

## **CONCLUSION**

Accordingly, Claims 1, 4, 5, 8, and 13 have been herein amended to better encompass the full scope and breadth of the present invention, notwithstanding the Applicants' belief that the Claims would have been allowable as originally filed as well as previously amended. The Applicants respectfully reassert that no claim has been narrowed within the meaning of Festo Corp. v. Shoketsu Kinzoku Kogyo Kabushiki Co. (Fed.Cir. November 29, 2000). Therefore, reconsideration of the present application in light of the foregoing amendment and these remarks is respectfully requested. The Examiner is further cordially invited to telephone Mr. Thomas F. Lebens for any reason which would advance allowance of the pending claims. In the event that any additional fees become due or payable, the Examiner is authorized to charge USPTO Deposit Account No. 06-1135 accordingly.

Respectfully submitted,

Dated: <u>January</u> 25, 2010

max Li Detter

Attorney Reg. No. 42,472 Attorney for Applicant(s)

Address all correspondence to:

Thomas F. Lebens FITCH, EVEN, TABIN & FLANNERY, LLP 120 South LaSalle Street **Suite 1600** Chicago, IL 60603

Direct telephone inquiries to:

Thomas F. Lebens (805) 781-2865

\\Server01\Data\TRANS\IP\81235\81235.7114 RTOA Amdmt F (rev 20091211).doc